

BUNDELKHAND SAHAKARI DUGDH SANGH MARYADIT SIRONJA, SAGAR (M.P.) 470004

AN ISO 9001: 2015, ISO 22000:2005 Certified Organization

E-mail: sanchimccsagar@gmail.com

Ref No: 75 /BKDS/IM/2022

Dated: 11.05.2022

E-TENDER NOTICE (2nd call)

Online e-tenders (Two Bid System) are invited from Manufacturer/Suppliers for supply & installation of Dairy related Lab electronics Equipments, Data Processor based Milk Collection Unit (DPMCU) With External Printer & Milk Analyzer. The tender notice, tender documents, containing the terms and conditions can be purchased online & downloaded through following website http://www.mptenders.gov.in from 11.05.2022, 12:00PM onwards upto 17.05.2022 at 04.00PM. The tender will be submitted from 11.05.2022, 12:00 PM onwards upto 17.05.2022 at 04.00PM. The tender will be opened on 18.05.2022 at 04.00 PM. The detailed Tender Form can be seen (only for reference) at our H.O website: www.mpcdf.gov.in.

For digital Signature please contact M.P. State Electronic Development Corporation Ltd., Area Hills, Bhopal on toll free no. 18002588684.

Corrigendum/Amendment if any to this publication would appear only on the above mentioned websites and will not be published else where.

CHIEF EXECUTIVE OFFICER



BUNDELKHAND SAHAKARI DUGDH SANGH MARYADIT SIRONJA, SAGAR (M.P.) 470004

AN ISO 9001: 2015 Certified Organization

E-mail: sanchimccsagar@gmail.com

Ref No: 75 /BKDS/IM/2022Date: 11.05.2022The tender notice, tender documents, containing the terms and conditions can be purchased
online & downloaded through following website http://www.mptenders.gov.in

E-TENDER FOR SUPPLY OF ELECTRONICS LAB EQUIPMENT

TENDER DOCUMENT

| Schedule I | : | General Terms & Conditions. |
|--|--------|--|
| Schedule-II | : | Specifications |
| Schedule III | : | Technical Bid |
| Schedule IV | : | Form A & Form B |
| Schedule IV | : | Price Schedule |
| Tender Cost | : | Rs.1000/-(Rupees one thousand only) |
| EMD | : | Rs.70000/- |
| Tender Document Download/Sale Star | t Date | : 11.05.2022 Time 12:00 PM Onwards |
| Tender Document Download/Sale End Date | | : 17.05.2022 Time 04:00 PM |
| Bid Submission Start Date | | : 11.05.2022 Time 12:00 PM Onwards |
| Bid Submission End Date | | : 17.05.2022 Time 04:00 PM |
| Bid Opening Date | | : 18.05.2022 Time 4:00 PM |
| Place of opening of Tender | : | Office of the Bundelkhand Sahakari Dugdha Sangh Maryadit, Sagar. |
| Address for Communication | : | The CEO, Bundelkhand Sahakari Dugdha Sangh Maryadit, Sagar 470004. |

CHIEF EXECUTIVE OFFICER

<u>SCHEDULE - I</u>

General Terms & Conditions for tender submission & material supply

Bundelkhand Sahakari Dugdha Sangh Mydt, Sagar (BKDS), an ISO certified cooperative organization, invites etender (Two Bid System) from manufacturer/suppliers for supply of Dairy related Lab electronics Equipments, strictly in adherence to the detailed specifications given in the schedule II of the tender documents.

CEO Bundelkhand Sahakari Dugdha Sangh Mydt., Sagar reserves the right to accept or reject any or all tenders, which in their opinion justify such actions, without further explanation to the tenderers.

1.0 <u>DECLARATION:</u>

The submission of a tender by a tenderer implies that he/she has read the notice and conditions of the tender and the terms and conditions of contract and has made himself/herself aware of scope and specifications of the supplies to be made and the destination where the supplies have to be made and satisfied himself/herself regarding the quality and specifications of the articles.

2.0 TENDER SUBMISSION:

- 2.1 Tenderer should have at least past 3 years experience in the supply of DPMCU to Co-operative Dairies. Such Tenderer shall be eligible for participating in this tender.
- 2.2 Tenderer should supply DATA Processor, DOT Matrix Printer & Milk Analyzer separately. Intact device shall not be accepted.
- 2.3 Tenders received by e-mail will not be considered. However, amendments by e-mail to a tender sent will be considered, provided the same are received before the opening of the tender and confirmed by post.
- 2.4 Individuals seal signing on the tender and other related documents must specify in which capacity of the firm he/ she has signed the documents. (copy to be uploaded –mandatory)
- 2.5 The tenderer(s) should clearly state in their offer the address, telephone, fax, e-mail. Any change in the address should immediately be communicated to the Chief Executive Officer, Bundelkhand Sahakari Dugdh Sangh Mydt, Sagar and correspondence thereafter will be made at the changed address.
- 2.6 Negligence on the part of tenderer in filling the tender form offers him/her no right to withdraw the tender after it has been opened.
- 2.7 The acceptance of the tender and award of the purchase order will be the sole right of the Chief Executive Officer, Bundelkhand Sahakari Dugdha Sangh Mydt. Sagar who does not bind himself to accept a tender in whole or in part or reject any or all the tenders received without assigning any reasons and no explanation can be demanded of the cause of rejection of the tender by any tenderer.
- 2.8 The Chief Executive Officer, BKDS SAGAR reserves the right to place order for whole requirement with any tenderer or split the orders among one or more tenderers or not to purchase at all any item even after rate approval.
- 2.9 Each tender should be accompanied with copy of PAN, Income Tax Return of last two financial years(2019-20,2020-21), GST and without which the tender may not be entertained. (copy to be uploaded – mandatory)
- 2.10 The Tenderers should submit the tender rates in the Schedule IV only. The conditional tenders are liable to be rejected.
- 2.11 No person or firm is permitted to submit more than one tender under different names.
- 2.12 The tenderer shall not sublet the contract or assign to any other party or parties, the whole or any portion of the contract without prior written permission of Chief Executive Officer, BKDSM during the supply.
- 2.13 Tenderer shall fill all the details of the unit in the enclosed form- A in schedule-III. (copy to be uploaded mandatory).
- 2.14 Demonstration of articles available with the firm shall be arranged by the tenderer at his own cost, whenever requested by Bundelkhand Sahakari Dugdha Sangh Mydt.
- 2.15 Manufacturers will be given preference. Copy of license is to be attached with tender for each item filled in, wholesalers dealing with the item will have to attach copy of authorization certificate of the manufacturer. (copy to be uploaded –mandatory).

3.0 EARNEST MONEY DEPOSIT:

3.1 All the tenderers are required to deposit Earnest Money Rs.70000/- on line. As the tender will be finalized the unsuccessful tenderers will get back the EMD from MP TENDERS (as per their norms) on line.

Submissions of earnest money by any other mode than specified above shall not be acceptable and the related tender shall not be eligible for consideration.

- 3.2 The earnest money deposit of the successful tenderers will be released on completion of supply/work as the case may be within the stipulated period without any interest.
- 3.3 No interest will be paid on the earnest money for the period during which (the EMD) lying in deposit with Bundelkhand Sahakari Dugdha Sangh, Maryadit.

4.0 <u>PRICES:</u>

- 4.1 Rate should be quoted for the material as per the specifications given in the schedule II of the tender document. In case of any doubt as to the meaning of any of the terms & conditions or the specifications, the tendering firm may set forth the particulars there of and submit them to the Bundelkhand Sahakari Dugdha Sangh Mydt, in writing that such doubts may be removed before submitting the tender.
- 4.2 Prices offered by the tenderers should be firm, free from all escalations and unconditional and shall be valid at least for a period of 12 months from the date of approval of rates. We would communicate our rate approval within 30 days of opening of tender.
- 4.3 The Tenderer should quote rate on F.O.R Dairy Plant Sagar basis.
- 4.4 The tender should clearly specify whether rates quoted are inclusive or exclusive of GST.
- 4.5 If needed, negotiations will be done for prices and as well as terms & conditions of material supply only with the party which offers the lowest rate.
- 4.6 The prices charged for the material supplied under the contract by the supplier firm in no event shall exceed the lowest price at which the supplier firm sells the material of identical tender description to any other persons/ firms during the period and until the execution of all supply orders placed during contract period.
- 4.7 The lowest rate shall not be the only criteria for approve the tender.
- 4.8 Conditional Tenders are liable for rejection.

5.0 MODE OF DESPATCH:

- 5.1 The material to be supplied by qualified firm shall be dispatched to the dairy under prior intimation. Depending upon the type of material, the supplier shall have to carry out proper packing/crating to avoid damage during transit.
- 5.2 Wharfage /Demurrage etc. on account of incorrect or delayed delivery/dispatches of material/documents must the responsibility of supplier and shall be recovered from the bills.

6.0 ELIGIBILITY CRITERIA

- 6.1 Tenderers should submit supplier's List with contact detail / Purchase order copy/performance Report of past 3 years.
- 6.2 The tenderers should submit copy of IT Return for Last Two financial years (2019-20,2020-21).
- 6.3 The tenderers should submit copy of PAN Card & GST Certificate.
- 6.4 The tenderers should submit Filled Form-A & attached related document as per Form A.
- 6.5 The tenderers should submit EMD (online).
- 6.6 The tenderers should submit copy of Firm Registration certificate.
- 6.7 The tenderers should submit proof for they have strong service network in Madhya Pradesh to provide installation, training and onsite after sale service at village DCS level.

7.0 LIQUIDATED DAMAGES:

7.1 The time period and the date of delivery of the material stipulated in the purchase order shall be deemed to be the essence of the contract. Once firm delivery date(s) are fixed for supply of material they shall be strictly adhered too. In case they are not followed, or in case of delay in execution or non-execution of the order, the Dugdha Sangh reserves the right either to cancel the order and make alternative purchases from other sources, at the risk and cost & expenses of the defaulting supplier. In case the supplies are not affected as per the schedules, the liquidated damages may be charged on the goods not so delivered as under: -

| Sl.No. | Duration of delay | Liquidated Damages |
|--------|-----------------------|---------------------------|
| 1. | Upto 15 days | 1% cost of the unit. |
| 2. | Between 16 to 30 days | 2% cost of the unit |
| 3. | Beyond 30 days | Upto 5% cost of the unit. |

7.2 If the qualified tenderer fails to make supply as per purchase order without any valid reason, the order would be treated as cancelled and the firm may be blacklisted for future dealings and EMD also would be forfeited by the management.

7.3 If the qualified tenderer fails to make supply the materials as per specification/material quality, BKDS Sagar will have right to purchase materials from the other bidders whom participated in the same tender and willing to supply the material on L-1 approved rates for which BKDS will take the consent of other bidders too.

8.0 **INSURANCE:**

Insurance is to be arranged by the tenderer.

9.0 INSPECTION:

- 9.1 All the materials supplies are subject to inspection at our stores before acceptance. If goods are rejected due to defective or wrong supply, the report of our authorized official in this respect shall be FINAL and no correspondence on the subject would be entertained. If the material is not found as per specification of BKDS SAGAR the consignment will be rejected. Supplier will be informed regarding rejection by post /e-mail supplier should attend this office within 15 days of the receipt of intimation so that the material could be rechecked in his presence. If the supplier doesn't attend this office on time then the material will be returned at his own risk/cost by BKDS Sagar. No payment shall be made against the rejected materials.
- 9.2 Sample of the articles should be sent/produced before the competent authority if asked for within 3 days or as mutually agreed.
- 9.3 Bidders has to submit their customers list along with the performance report of consignee is compulsory.

10.0 **<u>PAYMENT:</u>**

- 10.1 70% against delivery of machine/equipments in good condition at site and after physical inspection and verification by concern department.
- 10.2 Balance 20%, within 40 days of after commissioning and successful trial run of machine/equipments at site and remaining 10 % after submission of performance bank Guarantee of 10 % value of total purchase order basic amount value (without GST) for one year.
- 10.3 Tenderer agreeing to these terms would be given preference over those specifying other terms.

11.0 WARRANTY

All the Supplied items shall be warranted for one year.

12.0 TERMINATION OF CONTRACT:

If any act of commission or omission of a unit under contract brings Bundelkhand Sahakari Dugdha Sangh Mydt. To dispute, then the Milk Unions shall be competent to debar/blacklist the unit from further business.

13.0 CONSEQUENCES OF BREACH OF AGREEMENT:

If any firm under the contract commits breach of any of the conditions, it shall be lawful for the Chief Executive Officer, Bundelkhand Sahakari Dugdha Sangh Mydt. To cancel the contract and to purchase material from any other alternate sources on the risk and cost of the defaulting unit.

14.0 DISPUTE ARBITRATION & FINAL AUTHORITY:

- 14.1 It should be clearly understood that in the event of a successful tenderer failing to accept and execute the supply order, then decision of the Chief Executive Officer, Bundelkhand Sahakari Dugdha Sangh Mydt., in this respect will be final and binding on the successful tenderer.
- 14.2 In any case of dispute between material / services supplier and Bundelkhand Sahakari Dugdha Sangh matter will be presented to MD, MPCDF for resolution. In case no resolution action will be taken as per Arbitration Act. 1996.
- 14.3 For all disputes, the venue for legal course shall be at Sagar
- 14.4 If the tender opening date become any govt. holiday then the next day may considered for tender opening.

15.0 Quantity:

At present 35 Nos. which may be increased, it depends on availability of funds.

Chief Executive Officer Bundelkhand Sahakari Dugdha Sangh Mydt.Sagar

SCHEDULE - II

Technical Specification of Data Processor Based Milk Collection Unit

1. Functional Requirements:

The Unit should be suitable for instant weighing of milk, measuring fat & SNF content, calculating the amount payable to the member based on FAT and/or FAT & SNF weight, printing the amount calculated thereof with member identification details. The Unit shall also be used for maintaining the main records of the collection centre together with the details of milk business transactions of the village milk co- operative society.

The Unit should be able to measure milk component contents viz. fat from 0.5 % to 12 % & SNF from 6% to 12 % and able to weigh milk up to 200 kg per batch at a time. This should process approximately 70 samples of milk per hour.

2. Design & Other Requirements:

The DPMCU specs detailed below are minimum required specification. The vendor has to provide for all the components/ tools/ software required for meeting operational & functional requirement. Bidders can offer better & higher version specs if available with them which could be considered, but without any extra weightage.

Operating Environment:

All the components of the DPMCU should be rugged and must operate in dusty, hot and humid village environment where power outages and supply fluctuations are frequent. The operators may not be skilled persons and not conversant in using electronic equipment:

- Power supply: 160 to 260+10 % V (AC); 50 Hz + 3% or 12 V (DC)
- Ambient Temperature: 5 50 C
- Relative Humidity: 50 % to 95 %

Operational provisions:

Installation: All the components of the DPMCU should be installed by the supplier to the satisfaction of the user.

Warranty: All the components included in the DPMCU shall be warranted for 01-year comprehensive warranty from date of supply except Burnt & broken items are not covered. Supplier to ensure the installation and commissioning of proper earthing before start of actual operation of DPMCU.

ERP: Integration with any ERP or existing software will be managed by supplier. Supplier needs to provide all the required support in integration with ERP or any existing software

The supplier should also provide Annual Maintenance Contract after one-year warranty period on chargeable basis, if felt necessary by the purchaser.

Training

- Comprehensive training for 01 day in class room
- Hands-on training for 02 shifts of milk collection on all operational aspects of the milk analyzer and other DPMCU components to the staffs at Village level and other officers of the Milk Union.
- Between 1st & 2nd month of installation refresher training in group shall be imparted at a nodal location.

Operational & Cleaning SOPs (including leaflet on troubleshooting) - Provide laminated wall chart indicating important steps involved in operation & cleaning of the Milk Analyzer for displaying in the Collection Centre.

3. Scope of Work:

- This is a complete job for supply, installation, testing and commissioning of the DPMCU system which can collect all milk collection data at DCS level.
- The Unit should be suitable for instant weighing of milk, measuring fat, *SNF* & water content, calculating the amount payable to the member based on fat, SNF& weight, printing the amount calculated thereof with member identification details.
- Integrated unit shall consist of Data processor to accept data from electronic Weighing Scale, Milk analyzer & Milk producer detail manually entering, process milk billing & write processed data on pen drive or print in report format.
- Automatic tare option for Weigh Scale to allow multiple entries of can by any single member.
- System should be able to capture data from electronic weighing scale and milk analyzers which can transfer data through RS-232 serial port
- System must be easy to operate, safe and secure and prevented from unauthorized access.
- Comprehensive warranty for One year.
- Ensure proper and accurate functioning of all the components of the DPMCU and impart training to the operating staff in operation, maintenance and routine check till the operating staffs are confident in operation and routine maintenance.

4. Detailed Specifications:

1.0 Data Processor Milk Collection Unit (DPMCU)

Data processor is to be used at village society level, so should be simple, rugged and easy to operate with appropriate functional keys. Salient features of data processor are –

| TECHNICAL SPECIFICATIONS OF DPMCUs | | | |
|------------------------------------|----------------------------|---|--|
| | A PROCESSO | R UNIT | |
| S. No. | Particulars | Specification | |
| | | Provision of import of Producer master, Rate chart data from Milk Union/main dairy plant through pen-drive (USB/ Serial/Smart Card) Based on the requirement. | |
| | | To accept data from electronic weighing machine, milk analyzer after entering the milk producer code number manually. | |
| | | Data transfer from DPU through pen drive (USB/Serial) to other computer Through a customized utility software. | |
| | | Reports as under: | |
| | | 1. Producer Slip in English | |
| | | 2. Shift End Summary in English-Reports-In 40/80 column | |
| 1.1 1 | Operational Requirement | 3. Dispatch slip, Local sale, Payment Registers & Member listing in English-Reports on EXTERNAL DOT MATRIX PRINTER- In 40/80 Column format. | |
| | | Customized reports as per Milk union requirement with possible inputs. | |
| | | Entering of Milk Rate Chart by Pen drive (USB / Serial). | |
| | | Two set so rate charts (Buff. & Cow both), one for current & other as "Effective from date". | |
| | | Rate chart type to support -Fat; FAT & SNF-As required by purchaser | |
| | | Data backup through USB Pen Drive. | |
| | | Input services data entry and storage. | |
| | | To develop, if any additional report required by purchaser | |
| 1.2 | Technology | Advanced 'Micro Controller 'based | |
| 1.3 | Display | LCD 4 Line / 20 Character OR HIGHER | |
| 1.4 | Memory | 8 GB SD Card, 5 Years data storage for @ 1000 Members. | |
| 1.5 | RS-232 Interface | For Milk Analyzer, Electronic Weigh Scale, Remote Display Unit,DMP / Other suitable Printers & Pen Drive as required for incorporating all functionalities as required by the user. | |

| 1.6 | Environment | 5-50 Deg. C, 85 % Rh, Village Dusty Environment. | |
|------|-----------------------------|--|--|
| 1.7 | Printer | Interface for External Dot Matrix Printer | |
| 1.8 | Power Supply | 230 V AC, 50 Hz. or 12 V DC Input. | |
| 1.9 | Key Board | Matrix type / PC Keyboard | |
| 1.10 | Real Time Clock | Inbuilt | |
| | | Paper Role 05 No. | |
| | Consumables | All required Power Cord 1.5M with plug top-01 No. | |
| 1.11 | & Accessories with each DPU | All interconnecting Data Leads 2M-Dully fitted with RS-232 Connectors at both ends-As Required for Weigh Scale, Milk Analyzer & Remote Display Unit. | |
| | | Suitable Paper holder to hold paper rolls-01 No. | |
| 1.12 | Modem | DPU should incorporate in build 2G/3G Enabled Modem to communicate with portal Functionalities: - Online Rate Chart Syncing Facility. All Farmer Transactions to Sync to Portal. Facility to send SMS to farmer. | |
| | | Recurring cost of data/SMS not a part of this tender. Will be post excitation and installation OF DPU 's | |

2.0 DOT MATRIX PRINTER:

| S. No. | Particulars | Specification | |
|--------|-------------------------------|--|--|
| 2.1 | Printable Column | Dot Matrix Type 9-Pins- 80 Column | |
| 2.2 | Operating Voltage | 230 V 50 Hz AC or 12 V DC input | |
| 2.3 | Print Method | Impact dot matrix | |
| 2.4 | Print Direction | Bi-direction parallel interface/USB/Serial | |
| 2.5 | Print speed | Min.4.7 LPS | |
| 2.6 | Paper Handling | Friction feed | |
| 2.7 | Paper Path | Manual insertion-front or rear in -top out | |
| 2.8 | MTBF (hrs. at 25% duty cycle) | 5 million lines | |
| 2.9 | Copy Capability | Original +1 Copy | |
| 2.10 | Accessories | Ribbon Cartridge, Paper holder-1 No. Each | |

3.0 SPECIFICATION FOR MILK ANALYZER

| S. No | Particulars | Specification | |
|----------|---------------------------|---|--|
| 3.1 | Functional Requirement | To Test & display FAT, SNF & Added Water of sample Milk Analyst and display of Additional Parameters will be preferred | |
| | | Ultrasonic principle-based Milk Analyzer for testing FAT, SNF & Added Water | |
| | | Measuring parameters: | |
| | | 1) Fat-0.5% to 12% with accuracy +/-0.1%, with Resolution: 0.01% | |
| 3.2 | Туре | 2) SNF -6% to 12% with accuracy +/-0.2%, with Resolution: 0.01% | |
| | | 3) Added water-0% to 60% with accuracy +/-5%, with Resolution: 1% | |
| | | Measuring cycle -40 Sec per sample | |
| | | Average testing speed-70 samples/hr. | |
| 2.2 | | Mode selection for type of milk-Cow, Buffalo, Mixed/single | |
| 3.3 | Operational abilities | With Cleaning, Calibration, System error list etc. | |
| 2.4 | Туре | Ultrasonic Milk Analyzer for testing FAT, SNF & Added Water | |
| 3.4 | MOC for enclosure | Stainless Steel | |
| | | Holding bottom tray for spillage-1 No. | |
| | | • RS 232 Serial Cable-1 No. | |
| | | • AC Power cable with plug top-1 No. | |
| | | Measuring mugs -2 No | |
| 3.5 | Loose Accessories | •Daily cleaning solution-No. Of Bottle 2 (Quantity minimum 200 ml or equivalent). | |
| | | •Weekly cleaning solution-No. of Bottle 1 (Quantity minimum 200 ml or equivalent) or | |
| | | •Monthly cleaning solution-No. of Bottle1 (Quantity minimum 200 ml or equivalent) | |
| 3.6 | Manual | Operating Manual each in English & preferably Local language per | |

| 4 | Electronic Weigh Scale | | |
|------|---|--|--|
| 4.1 | Functional Requirement | To Electronically weigh & digital display of milk quantity in litre in a container | |
| 4.2 | Capacity | 200 kg | |
| 4.3 | Least Count | 20 gm | |
| 4.4 | Weight Accuracy | 20 gm as per Standards of W&M Rules 1987 medium accuracy Class III | |
| 4.5 | Certification & Stamping | Duly certified and stamped by W&M Dept. and confirming to IS:9281 (pt1 & 2) 1979, IS:9281:1981 and IS:9281 (Pt.4) 1983 as amended up-to-date | |
| 4.6 | Display Resolution | 1/10,000, (accuracy class Ill) | |
| 4.7 | Load Cell | Single, IP 67 grade SS of certified and approved make | |
| 4.8 | Overload & shock load protection | 250% to take impact of loading, with audio (beep) visual indication | |
| 4.9 | Platform Size | Suitable for placing 2 Cans each of 40 Liter. | |
| 4.10 | Platform MoC | AISISS 304 1.6 mm thick, 150 grit top plate | |
| 4.11 | Platform under frame material I Design | Cold rolled mild steel box of adequate size. Hot dip galvanized after fabrication | |
| 4.12 | Indication in display EWS unit | Quantity-7 Segment RED LED, 6 digits, minimum 13 mm height, display for mode of operation-zero, tare, kg/liter, by default KG | |
| | | •Pole mounted type with sturdy base and 38 mm dia. Pipe-1.2 m high | |
| 4.13 | Display unit mounting | •MS Powder Coated / ABS enclosure, Tactile switch keys with feedback response, auto calibration & auto span with drift correction. | |
| | | •RS 232 serial port (Full Duplex) | |
| 4.14 | Calibration protection | • Special arrangement to house PCB & seal in arrangement. | |
| | & Sealing Arrangement | •Password protection at user end. | |
| 4.15 | Load cell Cable | Load cell cable from platform to display unit with reinforced heavy-duty PVC conduit | |
| 4.16 | Battery for working on power failure | Inbuilt, 6V capacity minimum for 12 hrs. | |
| 4.17 | Power Supply | Minimum 1 m power cable with plug top AC/DC | |
| 4.18 | Model Approval Certificate | Manufacturer to have model approval certificate of regulatory authority I Govt. of India (Weight & Measure Unit) | |
| 4.19 | Stamping | EWS should be supplied duly stamped by Dept. of Weights and Measures | |

5.0 REMOTE DISPLAY UNIT (RDU)

| S. No. | REMOTE DISPLAY UNIT (RDU) | | |
|-----------|---------------------------|--|--|
| | Functional Requirement | To display pourer members milk collected & milk testing and other Selected parameters in English/ Local Language | |
| 5.1 | _ | | |
| | Туре | Wall mounted type | |
| 5.2 | | The digital display should be able to display the following: | |
| | Display Parameters- | Members Code, Liter, FAT, SNF, Amount & etc. generally to | |
| | | meet the need of the users. | |
| 5.3 | Interface | RS-232 / USB Host | |
| 5.4 | Display Type | 7 Bright segments Red LED of 0.56" height (or suitable to meet the requirements) | |
| 5.5 | Environment | Dusty Humid, preferably housing to be with IP55 or equivalent protection rust proof powder coated metallic. | |
| 5.6 | Connecting Cables | Minimum 3m Power cable with plug top with connector at both ends, Minimum 3m Data cable with connector at both ends | |

6.0 Ultrasonic Milk Sample Stirrer

| 6.1 | Functional Requirement | To remove air from fresh milk sample by vibrations created in the milk before testing of milk. | |
|------|------------------------------------|--|--|
| 6.2 | Туре | Table top, Ultrasonic Stirrer | |
| 6.3 | Stirrer for Ultra sonic Stirrer | Ball type | |
| 6.4 | Ultrasonic Frequency | 20-25 KHz (Variable) | |
| 6.5 | Timer | Suitable fixed timer for degassing a raw milk sample | |
| 6.6 | Environment | Suitable for dusty/ humid village environment operating temperature-5 to 50 Degree C | |
| 6.7 | Connecting Cables | Minimum 1.5 m Power cable with plug top. | |
| 6.8 | Complete ready to use | Item complete in all respect with required electric/ electronic parts, ready for use at site. | |
| 6.9 | MoC for body | MS Powder Coated | |
| 6.10 | Operating Voltage | 230 Volts+/-10, AC, 50 Hz or 12 Volts DC | |

7.0 Power Back-up Solution:

| S. No. | Particulars | Specification | |
|---------------------|------------------------------|---|--|
| 7.1 | Functional Requirement | The Power Back-up system for Data Processor Mlik Collection Units (DPMCUs) is required to install in rural areas at milk collection points. This system consisting with battery must be able to run the entire system on battery when Grid Power goes off for minimum 2 hours in a shift. | |
| 7.2 | Average Output Power load | 300 Watts minimum approx. | |
| 7.3 | Back up time (Full Load) | 2-hrs minimum (in one shift) | |
| 7.4 | Output sockets | Suitable number of sockets as required for the respective components of DPMCU. | |
| 7.5 | Min. Battery Size | 1 x 100 Ah | |
| 7.6Battery Charging | | • Grid Charging: At 110 & 300 V AC with SMPS charger | |
| | | Boost charging at minimum 7A Approx. | |
| | | Battery overcharge protection | |
| | Battery Type | Industrial Tubular low maintenance battery | |
| | Battery feature | Battery level indicator | |
| | Battery Rating | 12 V, 100 Ah. | |
| | Battery units | 1 No. | |
| | Charging Indicator | Battery charging indicator plus low battery/ fault indicator to be provided | |
| | Leads for Connection | Suitable connecting cables required for the respective items of DPMCU. | |
| 7.7 | Operating Environment | Temp 5-50 Deg. C; RH-85% non-condensing, Dusty | |

Environment

SCHEDULE-III

Technical Bid

| <u>Sr.no.</u> | <u>ltem</u> | AS PER | <u>YES/NO</u> | <u>REMARK</u> |
|---------------|--|---------------|---------------|---------------|
| 1. | Supply & Installation of DPMCU with DATA | TECHNICAL | | |
| | Processor, DOT Matrix Printer, Milk Analyzer, | SPECIFICATION | | |
| | Electronic Weigh Scale, REMOTE | IN | | |
| | DISPLAY UNIT (RDU), Ultrasonic Milk | SCHEDULE -II | | |
| | Sample Stirrer, Power Back-up Solution | | | |
| | | | | |

| \bigcirc | BUNDELKHAND SAHAKARI DUGDH SA | NGH MARYADIT | | | |
|---------------------------|--|--|--|--|--|
| | SIRONJA, SAGAR (M.P.) 470004 | | | | |
| | AN ISO 9001 : 2015 Certified Organization | | | | |
| | E-mail: sanchimccsagar@gmail | .com | | | |
| | <u>SCHEDULE – IV</u> (To be submitted along with the offer) Form – A | | | | |
| BKDS, Sagar Dear Si | xecutive Officer ir, ereby furnish below some particulars about our company/unit which will form | Date : a part of our offer submission : | | | |
| 1. | Name of the Co./Unit : | | | | |
| 2. | Address of the Co./Unit : | | | | |
| 3. | Telephone Nos.(with STD Code) : | | | | |
| 4. | Name of the CEO/Proprietor/ : Partner | | | | |
| 5. | Name and designation of other : Authorized signatory of the Co./ Unit. | | | | |
| 6. | Particulars of Regn. Certificate as a Manufacturer Issued by the competent authority (Regn No. & Date) (Enclosed Copy) : | - | | | |
| 7. | GST NOdated | | | | |
| 8. | Details of PAN CARD (Enclosed Copy): | | | | |
| 9. | Income Tax return (Enclose Copy): | - | | | |
| 10. | Name of Bank & RTGS/NEFT No.: Enclose cancelled cheque: | | | | |
| | | | | | |
| | | | | | |
| | | 16 | | | |

- 11. Have your Co./Unit or its sister concern ever been black listed/ debarred by BKDS Sagar or its sister Milk Unions or GOI /GOMP & its undertaking ? YES / NO
- 12 If Yes, when & Why? Give reason in details.

I/WE HAVE READ THE TERMS AND CONDITIONS OF THE TENDER DOCUMENT. WHICH ARE ACCEPTABLE TO ME/US. NO ADDITIONAL CONDITION.DEVIATION OR POINT OF DIFFERENCE HAS BEEN GIVEN BY ME/US. I AM PROPRIETOR / MANAGER/ DIRECTOR ______ OF THE TENDERING FIRM AND HAVE BEEN AUTHORISED TO SUBMIT. THE AUTHORITY LETTER IN THIS REGARDS IS ENCLOSED HEREWITH.

DATE:

SEAL AND SIGNATURE OF TENDERER

NAME OF SIGNATORY

DESIGNATION

Seal & Signature of the Authorised Signatory of the Co./Unit

| SCHEDULE IV (To be submitted along with the offer) Form B | | | | |
|---|------------------------------|--------------------------|--|--|
| | | | | |
| CHIEF EXECUTIVE OFFICER | | Date: | | |
| BKDS, SAGAR | | | | |
| Dear Sir, | | | | |
| I/We furnish here below more particular a Tender rate submission against your Tender | | - | | |
| 1. Items manufactured at our Unit | : | | | |
| 2. Capacity of the Plant | : | _ | | |
| 3. Is there any break in your production/ | | | | |
| business activities during the past 5 | : | _ | | |
| years period? If so, give details thereof. | | | | |
| 4. Your customers/client on current list | : 1 | _ | | |
| | 2 | | | |
| | 3 | _ | | |
| | 4 | _ | | |
| | 5 | _ | | |
| 5. Have/Are you supplied/supplying | : | | | |
| items of similar nature to any Dairies | | | | |
| under coop. sector? if yes to whom | | | | |
| and how long? | | | | |
| I/We hereby undertake that information for best of our knowledge and belief. | urnished in the Tender docur | ments are correct to the | | |

Place:

Date:

Seal & Signature



BUNDELKHAND SAHAKARI DUGDH SANGH MARYADIT SIRONJA, SAGAR (M.P.) 470004

AN ISO 9001: 2015 Certified Organization

E-mail: sanchimccsagar@gmail.com

| | <u>SCHEDULE –IV</u> | | | | |
|--|---------------------|-----------------|---|--|--|
| FORMAT FOR QUOTING RATES (only online) | | | | | |
| S. | DESCRIPTION | QUANTITY | RATE FOR DPMCU (FOR Destination & | | |
| No. | | | Inclusive of P&F, Freight, Taxes applicable | | |
| | | | & all other charges (In Rs.) | | |
| | | | | | |
| | | | | | |
| | Craw w 1-c. P | 1 9 - + (| | | |
| А. | Supply & | 1 Set (as per | | | |
| | Installation of | technical | | | |
| | DPMCU with | specifications) | | | |
| | DATA Processor, | | | | |
| | DOT Matrix Printer, | | | | |
| | Milk Analyzer, | | | | |
| | Electronic Weigh | | | | |
| | Scale, REMOTE | | | | |
| | DISPLAY UNIT | | | | |
| | (RDU), | | | | |
| | Ultrasonic Milk | | | | |
| | Sample Stirrer, | | | | |
| | Power Back-up | | | | |
| | Solution | | | | |

Date:

Place:

Signature of authorized of the Unit

(With Seal)